


2019/20

ASLAN

Self-adhesive films for
sign making & digital printing



ASLAN®

EXPERTISE IN SELF-ADHESIVE FILMS

ASLAN – where quality meets specialities

Since 1950, owner-managed company ASLAN, Schwarz GmbH & Co. KG has been successfully developing, producing and distributing self-adhesive films for a wide variety of applications. As a specialist in self-adhesive films, ASLAN offers innovative and high-quality branded products with the quality assurance of being “Made in Germany”.

Our comprehensive product range offers self-adhesive films for various markets and applications such as graphic applications (sign making and digital printing), painting and lacquering, sandblasting, architecture and interior design, office and organisation, the production of lamp shades, book protection and repair, hobby and crafts, medical technology, industrial applications and contract coating.

The applications for ASLAN self-adhesive films are as varied as the needs of the markets they serve. ASLAN focuses on developing customised solutions rather than producing high-volume products for mass markets. Individual customer needs and market requirements continuously generate new ideas which ASLAN turns into high-quality self-adhesive films. Stringent quality standards and “Expertise in self-adhesive films” form a solid basis for the future growth of ASLAN.

A wide portfolio of branded products and custom self-adhesive solutions

Today the ASLAN brand covers a wide portfolio of self-adhesive films for an extremely broad variety of applications:

- Sign making & digital printing
- Painting & lacquering
- Sandblasting
- Architecture & interior design
- Lamp shades
- Books, office & education
- Hobby & crafts
- Industrial applications
- Medical technology

Our product range is as varied as these applications. Eco-friendly solutions for a growing market have their place alongside customised products for highly specific applications:

- Whiteboard & blackboard films
- Glass decoration films
- Metal effect films
- Coloured films
- Digital printing & laminating films
- Stencil films
- Double-sided self-adhesive films
- Mounting films & tapes
- Book protection films
- Lamp shade films
- Various films for special applications

In addition to a comprehensive range of standard products, ASLAN also offers fully customised and environmentally friendly adhesive coatings to its customers.

Tailor-made solutions are developed in dialogue with the customer. Customers can choose from a variety of materials, liners and adhesives or have their own materials coated – with the adhesive properties they specify or in consultation with the experts at ASLAN.

“The experience of three generations, as well as skilled employees, who are dedicated to the company and its customers, coupled with ongoing customer communication and a strong customer service philosophy, are the basis of our success and have allowed us to establish ourselves as a constant in the market. – I, too, am proud to be an ASLANi!”

Oliver Schwarz | Owner & CEO



Sign making &

Blackboard & whiteboard films



Blackboard films	7
Ferrous films for placing magnets	8
Whiteboard films	10
Re-writable glass decoration film for dry application	10
Rear projection films	11

Glass decoration films



Glass decoration films for cutting plotters and easy dry application	14
For digital printing	14
Glass decoration films for cutting plotters and universal application	15
With decorative designs	17

Metal effect films



Printable metal effect films	19
Metal effect films for cutting plotters	20
Mirror effect film in gold and silver	20
Classy, matt metal effect films in champagne and platinum	21

Coloured films



Opaque coloured films	23
Transparent coloured films	25
Fluorescent film	25

Digital printing & laminating films



Digital printing films for walls and facades	27
Digital printing films for floor graphics	28
Digital printing films for applications on glass	30
Universal digital printing films for long-term applications	32
Floor graphics and anti-graffiti laminates	33

GreenCircle



PVC free blackboard film	34
PVC free whiteboard film for easy dry application	34
PVC free ferrous film	34
PVC free glass decoration film for easy dry application	35
PVC free plottable coloured films	35
PVC free protective film	35

digital printing

Stencil films



For painting & lacquering
For sandblasting works

37
39

Special films for light advertising



Diffuser film
Opaque blockout films for light boxes

40
40

Double-sided self-adhesive films



Double-sided self-adhesive films

41

Application films and papers



Mounting film
Paper tapes
Filmic tapes

42
42
42

Tools



Squeegees
Cutting tools
Accessories

43
43
43

At one glance



Overview

45

Memo board films

ASLAN's self-adhesive blackboard, whiteboard and ferrous films can be used to turn smooth surfaces into re-writable, dry-wipeable and even magnetically-receptive surfaces for communication.

To do this, the high-quality films are simply affixed to walls, cupboards or doors. Thanks to the virtually endless variety of options for combining ASLAN films, you can give your creativity free rein and design your own customised memoboard. Coloured boards or whiteboards can be created just as easily as memoboards with a logo or design printed on them.

Create tailor-made communication boards for offices, seminar rooms, schools, kindergartens, restaurants or hotels!

Re-writable
glass decoration film

White board films



Tafelfolien

Black board films





Magnetically-receptive
ferrous films





Our high-quality self-adhesive blackboard films are the ideal alternative to heavy chalkboards or blackboard paint. These films can be applied to all smooth surfaces quickly and cleanly and removed again just as easily. Writing with chalk or liquid chalk pens (see table) does not leave any ghosting or shadows – this makes them the ideal medium for frequently changing messages.

Unique: In addition to designs in traditional black, a transparent chalkboard film is also available offering you complete design freedom: simply laminate over a print, coloured film or a flat piece of furniture and your custom-designed chalkboard is ready to go!

Blackboard films	Printability	Self-adhesive film
Black, for chalk and liquid chalk	UV curing inks	PremiumBlackboard ASLAN BB 910 
NEW PVC free, black, for chalk and liquid chalk	UV curing inks	Blackboard PP Dryapply ASLAN BBL 920 
Black	UV curing inks and screen printing	Blackboard ASLAN C 61
Black, especially scratch-resistant	UV curing inks and screen printing	Blackboard AntiScratch ASLAN CR 62
Transparent blackboard film for writings with chalk and ASLAN C-pen (liquid chalk pen)	UV curing inks and screen printing	ClearChalk ASLAN CR 63



Numerous
combination
possibilities:
We will be
happy to advise
you!

Magnetically-receptive ferrous films

Magnetically-receptive, self-adhesive ferrous films, anthracite coloured

This self-adhesive ferrous film makes any smooth surface suitable for placing magnets. It can be cut easily into any imaginable shape or size and can be combined just as easily with other self-adhesive ASLAN films to create a multi-functional whiteboard, blackboard or coloured memoboard.

FerroSoft ASLAN FF 410

Printable, magnetically-receptive, self-adhesive ferrous films in white

With this white, matt ferrous film containing iron, any surface becomes suitable for placing magnets. It is digitally printable, allowing you to create custom-designed magnet boards. In combination with our transparent chalkboard and whiteboard films it can additionally be written on with chalk or whiteboard markers.

FerroSoft Print ASLAN FF 480

Self-adhesive ferrous film with high quality whiteboard finish



These films are offering a ready-made 2-in-1-solution: They combine the magnetically-receptive function of our flexible ASLAN FerroSoft films with the easy write and wipe function of our whiteboard films. Thus, you can create a high-quality, multi-functional communications surface in just a single pass.

FerroSoft Whiteboard ASLAN FF 550 | **NEW** **FerroSoft Whiteboard matt ASLAN FF 490**

Self-adhesive, magnetically-receptive ferrous film with high quality blackboard finish

The new FerroSoft Blackboard ASLAN FF 540 combines the magnet receptivity of our FerroSoft range with the ideal writability and cleaning of our Premium Blackboard. It can be written by using chalk and liquid chalk. Applied to a smooth surface a high quality, magnetically-receptive and scratch-resistant blackboard is done.

NEW **FerroSoft Blackboard ASLAN FF 540**

Magnetically-receptive ferrous films	Printability	Self-adhesive film
Anthracite, matt, very flexible		FerroSoft ASLAN FF 410 
White, matt, very flexible ferrous film	Solvent, eco solvent, latex, UV curing inks as well as with HP Latex 500 Series	FerroSoft Print ASLAN FF 480 
NEW White, matt, flexible ferrous film with whiteboard finish, suitable for projections		FerroSoft Whiteboard matt ASLAN FF 490
White, glossy flexible ferrous film with whiteboard finish		FerroSoft Whiteboard ASLAN FF 550
NEW Black, flexible ferrous film with blackboard finish	UV curing inks	FerroSoft Blackboard ASLAN FF 540

3new

ready-made 2-in-1-solutions

Magnetically-receptive
ferrous films

&

blackboard

Magnetically-receptive
ferrous films

&

whiteboard

matt or glossy

Glossy whiteboard films

Especially scratch-resistant and high-quality self-adhesive films for writing with whiteboard markers

These films can be applied onto any smooth surface, such as doors or walls. Writing with whiteboard markers can be easily wiped off dryly using a soft cloth. Even frequent rewriting creates no ghosting or shadows.

Available versions:

Glossy whiteboard film in white

Whiteboard ASLAN WB 995

Glossy whiteboard film, transparent

Clearboard ASLAN CB 90

Glossy whiteboard film in 6 colours*

WhiteboardColour ASLAN WBC 996



*Additional colours are available on request.

Glossy whiteboard films for dry application

High-quality self-adhesive whiteboard film with air release channels for a bubble-free dry application onto large areas

The film is extremely scratch-resistant and can be written on any number of times with whiteboard markers – with no trace of ghosting or shadows.

Glossy whiteboard film for dry application in white

Whiteboard Dryapply ASLAN WBL 995

Glossy, PVC free whiteboard film for dry application in white

Whiteboard PP Dryapply ASLAN WBL 998



Matt whiteboard films

Particularly high-quality self-adhesive whiteboard films – suitable for projections

These self-adhesive films can be applied quickly and easily onto all smooth surfaces, flexibly creating additional media projection options. Writing with whiteboard markers can be easily wiped off dryly using a microfibre cloth, without leaving any ghosting and shadows. A whiteboard and a projection surface in one!

Available versions:

Matt whiteboard film in white

WhiteboardMatt ASLAN WB 975

Matt whiteboard film, transparent

ClearboardMatt ASLAN CB 75















Rewritable glass decoration film

Create presentation areas by turning just about any transparent surface into a whiteboard! With the ASLAN glass decoration film you can create classy, decorative privacy screens with a whiteboard function – in any desired shape and size. Thanks to the ASLAN Dryapply technology, the film can be dry-applied easily and can be written on with whiteboard markers any number of times without leaving shadows or ghosting.



EtchedBoard Dryapply ASLAN EBL 300

Colour	Glossy	Matt	Product
White		●	WhiteboardMatt ASLAN WB 975  
White	●		Whiteboard ASLAN WB 995 
White	●		Whiteboard Dryapply ASLAN WBL 995 
White	●		Whiteboard PP Dryapply ASLAN WBL 998  
Transparent	●		Clearboard ASLAN CB 90  
Transparent		●	ClearboardMatt ASLAN CB 75  
Sandblasted look		●	EtchedBoard Dryapply ASLAN EBL 300 
Orange, silver, green, blue, pink, yellow	●		WhiteboardColour ASLAN WBC 996  *Additional colours are available on request.



Self-adhesive rear projection films in two different versions

The ASLAN rear projection films are the ideal medium for striking, high-impact presentations of videos, live broadcasts and images. Applied onto a rigid, transparent surface, they create a projection surface that can be operated with standard projectors as well as interactive projection systems.


Both, the translucent as well as the transparent variant, are characterised by their uniform reproduction quality, visibility even in bright environments and particular high colour brilliance with applications behind glass.

The transparent version provides a clear view: Backgrounds, for instance objects exhibited behind a shop window, can be incorporated creatively into multimedia design concepts. When in use with a projector, the film provides superb rendition.

Available versions

Translucent rear projection film in white
RearProjection ASLAN RP 35

Transparent rear projection film
RearProjection transparent ASLAN RP 36



Glass decoration films




Cutting films
Digital printing films
With decorative designs
Dry application



ASLAN glass decoration films

ASLAN's comprehensive range of self-adhesive glass decoration films offers a unique breadth of effects and colours for the graphics market, allowing striking and high-quality decoration both indoors and outdoors. Thanks to their ease of use, these films can be easily applied in any room. ASLAN Dryapply Technology makes application to large surfaces especially user-friendly (see page 14).

Lending glass surfaces a special look and structure, these self-adhesive films can be digitally printed and/or plotted. For safe use in public areas, many glass decoration films from ASLAN are fire safety classified according to Euroclass EN 13501-1.



Glass decoration films for easy dry application

The unique ASLAN Dryapply Technology makes application particularly quick and easy. A special structure with fine air release channels guarantees bubble-free application without using water. This structure, combined with a special adhesive, allows easy repositioning during application without risk of damage (stress whitening). After application, the adhesive wets out and the adhesive strength increases, making the film ideal even for long-term applications.

Glass decoration films for large surfaces and plotted lettering

Finest air release channels allow a quick, easy and bubble-free dry application



Classified according to Euroclass EN 13501-1

Etched glass effect	7 years outdoor durability, PVC-film, polymeric	Etched Dryapply ASLAN EL 300	
Silver etched glass effect	7 years outdoor durability, PVC-film, polymeric	SilverEtched Dryapply ASLAN EL 302	
Dusted effect	7 years outdoor durability, PVC-film, polymeric	Dusted Dryapply ASLAN EL 200	
Milk glass effect	7 years outdoor durability, PVC-film, polymeric	Milky Dryapply ASLAN EL 210	
Dusted effect	PVC free	EcoEtched EasyRemove ASLAN ER 151	

Printable glass decoration films

Finest air release channels allow a quick, easy and bubble-free dry application

Printable with solvent, eco-solvent, latex, UV curing inks and screen printing

Etched glass effect	7 years outdoor durability, PVC-film, polymeric	PrintEtched Dryapply ASLAN DFL 300	
Silver etched glass effect	7 years outdoor durability, PVC-film, polymeric	PrintSilverEtched Dryapply ASLAN DFL 302	
Milk glass effect	7 years outdoor durability, PVC-film, polymeric	PrintMilky Dryapply ASLAN DFL 210	
Transparent	7 years outdoor durability, PVC-film, polymeric	WindowClear ASLAN DFP 18	



Benefits of ASLAN Dryapply technology, an ideal combination of adhesive, backing and structural characteristics:

- Extremely fine air release channels allow easy and bubble-free dry application
- Can be easily repositioned during application, without risk of damage
- Application tape can be removed immediately after application






Our self-adhesive glass decoration films come in a whole range of effects and colours, giving any glass surface a high-quality look and creating striking effects. Shop windows, glass doors, mirrors and all other transparent surfaces can be enhanced simply and effectively. These universal glass decoration films can be applied both wet and dry.

Etched glass effect	7 years outdoor durability, PVC-film, polymeric	Etched ASLAN E 300
Silver etched glass effect	7 years outdoor durability, PVC-film, polymeric	SilverEtched ASLAN E 302
Dusted effect	7 years outdoor durability, PVC-film, polymeric	Dusted ASLAN E 200
Milk glass effect	7 years outdoor durability, PVC-film, polymeric	Milky ASLAN E 210

Glass decoration film with decorative DESIGNS



Glass decoration films with appealing designs for easy dry application

Use the Illustra range of glass decoration films to give transparent surfaces a fresh and modern look in an easy way. The transparent films are printed with appealing white patterns that are scratch- and smudge-resistant. They are available in three attractive designs "Linen", "Snow" and "Dot".

The self-adhesive films are ideal for applications requiring both excellent privacy protection and high levels of light transmission. Extremely fine air release channels allow air bubbles to be wiped out with ease, making application fast and simple.

Glass decoration films with decorative designs

Printable with solvent, eco-solvent, latex, UV curing inks and screen printing

Dry apply

Linen-decor 7 years outdoor durability, PVC-film, polymeric

Illustra Linen ASLAN IL 350



Snow-decor 7 years outdoor durability, PVC-film, polymeric

Illustra Snow ASLAN IL 351





Dot-decor 7 years outdoor durability, PVC-film, polymeric

Illustra Dot ASLAN IL 352



Metal effect films



ASLAN metal effect films

Self-adhesive metal effect films are ideal for creating premium signs and letterings. A large variety of colours and effects, as well as a choice between printable and plottable films, offers an almost infinite number of creative applications.




Printable metal effect films

Printable with solvent, eco solvent, latex, UV curing inks as well as screen printing

Certified for
HP Latex Inks

Polyester film with PVC-laminate, available in 6 different effects, identical effects on both sides, 140 µm, outdoor durability 5 years

PrintMetal ASLAN CA 30



NEW Classy, matt polyester film with scratch-resistant PVC-laminate, in champagne und platinum, 50 µm, outdoor durability 2 years

MetalLux Print ASLAN SEP 50



Colours may vary.

Metal effect films suitable for cutting plotters


Polyester film with air release channels for easy dry application, available in gold and silver polished, identical effect on both sides, 50 µm, outdoor durability 3 to 5 years

MetalEffect Dryapply ASLAN CAL 23



Polyester film, polished and brushed metal effects, identical effect on both sides, 50 µm, outdoor durability 2 years, gold and silver polished: 3 to 5 years

MetalEffect ASLAN CA 23




Polyester film with PVC-laminate, available in 5 colours, 140 µm, outdoor durability 2 years

MetalColour ASLAN CA 24



Polyester film with PVC-laminate, available in 4 dark silver effects, 140 µm, outdoor durability 2 years

MetalShadow ASLAN CA 25




Highly reflective polyester film for easy dry application with especially scratch-resistant surface, available in silver, 75 µm, for indoor applications

MirrorEffect SimplyApply ASLAN SE 76



Highly reflective polyester film with identical mirror like effect on both sides, especially scratch-resistant surface, available in gold and silver, 75 µm, outdoor durability 3 to 5 years

MirrorEffect AntiScratch ASLAN SE 75



NEW Classy, matt polyester film with scratch-resistant PVC-laminate, in champagne und platinum, 50 µm, outdoor durability 2 years

MetalLux ASLAN SE 50



Colours may vary.





Champagne for everyone

MetalLux ASLAN SE 50 in champagne and platinum

Create a special atmosphere in any room using the new, class MetalLux ASLAN SE 50 in champagne or platinum. We have extended our range of special effect films and present two new matt metallised colours, ideal for jobs in retail and exhibitions, for visual merchandising as well as interior design.

Coloured films



Opaque coloured films			
	Durability	Features	Self-adhesive film
Premium coloured film	7 years	Highly glossy polymeric coloured film, highly flexible, 70 µm	PremiumColour ASLAN C 118 Soft
Universal coloured film	3-5 years	In glossy and matt colours, 70 µm	EcoColour ASLAN C 114
Fluorescent film			
Fluorescent film	9-12 months	Especially bright colours, available in 2 colours: red and yellow, 100 µm	FluoColour ASLAN CL 70
Transparent coloured film			
Coloured film for decorative designs on glass	3-5 years	Brilliant colour effect, ideal for glass surfaces, 80 µm	GlassColour ASLAN CT 113

PremiumColour ASLAN C 118 Soft

The opaque premium film for long-term advertising

This polymeric, self-adhesive PVC-film in 32 glossy and two matt colours is specially designed for high-quality lettering and logo plots. It can be applied both to smooth and curved surfaces and is ideal for the long-term design of cars, public transport vehicles, glass surfaces and outdoor signs.

Product advantages


- Highly flexible plotter film
- Excellent adaptation to contours
- Easy and fast weeding
- High opacity
- Solvent-free adhesive

glossy

11819S	11839S
11818S	11805S
11851S	11840S
11857S	11825S
11855S	11858S
11854S	11822S
11852S	11806S
11803S	11833S
11835S	11809S
11853S	11842S
11816S	11843S
11813S	11808S
11824S	11810S
11815S	11812S
11837S	11844S
11804S	11830S

matt

11880S	11879S
--------	--------



Colours may vary.

EcoColour ASLAN C 114

The opaque coloured film for short- to medium-term applications

This monomeric, self-adhesive PVC-film comes in 29 glossy and 17 matt colours. Designed for lettering, logo plots and wall decals, it is ideal for the short- to medium-term design of cars, public transport vehicles, glass surfaces, signs and trade fair stands.



glossy

11400	transparent
11401	
11405	
11407	
11408	
11409	
11412	
11414	
11413	
11415	
11416	
11417	
11404	
11424	
11420	
11421	
11422	
11425	
11431	
11432	
11434	
11433	
11435	
11437	

11440
11441
11445
11448
11449

matt

11451
11453
11454
11463
11462
11464
11466
11471
11473
11475
11481
11483
11485
11487
11492
11452
11499

Colours may vary.

GlassColour ASLAN CT 113

The transparent coloured film for creative glass decoration


These transparent coloured films allow stunning effects on glass surfaces, which are a mainstay of modern architecture and interior design. Colourful and creatively designed glass facades, conference rooms or shop windows can be easily realised. New and improved adhesive technology further enhances the films' quality: A high level of transparency guarantees a clear view through applied films.



FluoColour ASLAN CL 70

The fluorescent film for highly visible advertising

Self-adhesive fluorescent film, available in 2 colours, for eye-catching advertising or extremely luminous way finding systems.



Colours may vary.




Digital printing films




Laminating films

Digital printing films for walls and facades















For innovative and creative wall decorations, ASLAN offers high-quality digital printing films. Whether interior or exterior walls, whether short-term or long-term use – ASLAN has the right solution for your application. Thanks to the special ASLAN adhesives, the films are tailored specifically to any application you might have in mind.

For walls and facades	Features	Self-adhesive film
Permanent film for smooth and rough indoor walls, with extra strong adhesive, reliable hold even on challenging surfaces.	Transparent, glossy	UltraTack transparent ASLAN DFP 06
	White, glossy	UltraTack ASLAN DFP 07 
With grey adhesive. The coloured adhesive prevents the background showing through.	White, matt	UltraTack matt ASLAN DFP 08 
	White, glossy, grey adhesive	UltraTack grey ASLAN DFP 07G 
Removable facade films for rough outdoor walls, water-proof adhesive, no protective laminate required, guaranteed residue-free removal within up to 6 months, outdoor durability of up to 3 years if applied with heat. The matt film is the ideal solution for applications where reflections are to be avoided.	White, glossy	WrapTheHouse ASLAN DFP 45 
	White, matt	WrapTheHouse matt ASLAN DFP 55
Thanks to the film's transparency, even hard-to-stick surfaces can be designed with sharply defined, cut-out motifs, without time-consuming plotting.	Transparent, glossy	WrapTheHouse transparent ASLAN DFP 65
Removable film for smooth indoor and outdoor walls (e.g. polished natural stone), water-resistant adhesive, easily removable in one piece.	White, glossy	WrapTheFloor ASLAN DFP 47
Removable film for smooth indoor walls, can be repositioned multiple times, for application onto wallpaper, wood, painted surfaces, metal and glass	White, glossy	LifeTime Removable ASLAN DFP 40
	Transparent, glossy	LifeTime Removable ASLAN DFP 41
	White, matt	LifeTime Removable ASLAN DFP 42




Digital printing films for floor graphics

Design floors in a whole different way and use them for eye-catching advertising! Whether for indoor or outdoor advertising, smooth or rough surfaces: ASLAN offers the right solution for every surface. For this application we provide various digital printing films that can be combined as required with slip-resistant floor graphics films. As a special advantage, the printed and laminated floor graphics are fire-rated as a complete, bonded unit.

For walls and facades		
	For short-term applications on a wide variety of rough surfaces such as pavements, entrances, paving stones and outdoor staircases, easy and fast to remove.	WrapTheStreet ASLAN DFP 46   
For rough floors (e.g. asphalt)	White, slip resistant (R9), directly printable, no laminating film required. For short-term applications on a wide variety of rough surfaces such as pavements, entrances, paving stones and outdoor staircases, easy and fast to remove.	Print'nGo Street ASLAN DFP 36 
For smooth floors	No discolouring of stone surfaces by ink or adhesive, removable from smooth floors in one piece and without leaving residues, for temporary floor graphics, e.g. on marble or natural stone.	WrapTheFloor ASLAN DFP 47  
Indoor applications		
	White, slip resistant (R9), directly printable, no laminating film required	Print'nGo ASLAN DFP 33  
Slip-resistant floor graphics films for smooth surfaces	White, highly slip-resistant (R13), also for barefoot walkways, directly printable, no laminating film required	Print'nGo ASLAN DFP 43 
	Transparent, highly slip-resistant (R13), also for wet barefoot walkways, directly printable, no laminating film required	Print'nGo ASLAN DFP 44 
For smooth floors	No discolouring of stone surfaces by ink or adhesive, removable from smooth floors in one piece and without leaving residues, for temporary floor graphics, e.g. on marble or natural stone	WrapTheFloor ASLAN DFP 47  
For carpets	For temporary use on short-pile carpets, can be removed in one piece without leaving residues or damaging/discolouring the carpet	WrapTheCarpet ASLAN DFP 49  



- 1 **Digital printing films :**
WrapTheStreet ASLAN DFP 46
WrapTheFloor ASLAN DFP 47
WrapTheCarpet ASLAN DFP 49
- +
- 2 **printed with**
 solvent, latex
 or UV curing inks
- +
- 3 **Protection films:**
Premium FloorProtect ASLAN MP 300
FloorProtect ASLAN MP 326



Special advantages of the ASLAN floor graphics solutions



The ASLAN floor graphics range includes both digital printing films and protective laminates that meet the requirements of slip resistance classes R9 and R13. The R9 certified self-adhesive films meet the minimum requirements for indoor floor coverings in general areas while the R13 certified versions meet the requirements of the highest slip resistance class, required for use in commercial kitchens and guest rooms for example. In addition, the R13 films also meet the standard for slip resistance in wet barefoot areas according to DIN 51097 (class B) as applicable in, for example, the changing room areas of swimming baths or in entrance areas.



For its floor graphics range, ASLAN offers an unparalleled fire classification according to Euroclass EN 13501-1. This applies to all digital printing films used in conjunction with the floor graphics protective laminate



FloorProtect ASLAN MP 326 or **Premium FloorProtect ASLAN MP 300**. What's so special about them is that these composites made from digital printing film and laminate are classified in their printed state.

Digital printing films for applications on glass

Printable glass decoration films

Finest air release channels allow a quick, easy and bubble-free dry application
 Printable with solvent, eco-solvent, latex, UV curing inks and screen printing

Etched glass effect	7 years outdoor durability, PVC-film, polymeric	PrintEtched Dryapply ASLAN DFL 300	Certified for HP Latex Inks
Silver etched glass effect	7 years outdoor durability, PVC-film, polymeric	PrintSilverEtched Dryapply ASLAN DFL 302	Certified for HP Latex Inks
Milk glass effect	7 years outdoor durability, PVC-film, polymeric	PrintMilky Dryapply ASLAN DFL 210	

More printable glass decoration films: ASLAN Illustra in three appealing designs, see page 17

Benefits of ASLAN Dryapply technology, an ideal combination of adhesive, backing and structural characteristics:

- Extremely fine air release channels allow easy and bubble-free dry application
- Can be easily repositioned during application, without risk of damage
- Application tape can be removed immediately after application

Dry apply

Transparent	7 years outdoor durability, PVC-film, polymeric	WindowClear ASLAN DFP 18
-------------	---	---------------------------------



Looks great from both sides!



Double-sided white blockout film

White, glossy, 180 µm

3 years outdoor durability

WindowBlock ASLAN DFP 25



Printed blockout film

WindowBlock ASLAN DFP 25



Reversely printed on transparent film

LifeTime Removable ASLAN DFP 41



This highly opaque self-adhesive blockout film is white on both sides, making it ideal for double-sided advertising on glass surfaces. The high opacity of the blockout layer prevents digital prints from showing through.

In combination with a clear digital printing film printed with a mirror image, glass surfaces can be used for double-sided advertising that is applied from inside the glass. This offers perfect protection against vandalism.

Product advantages

- Unique product: white on both sides with high opacity
- In combination with a clear digital printing film printed with a mirror image, advertising can be applied on both sides of glass
- The high opacity prevents prints from shining through
- Thickness of 180 µm provides easy application
- Films can be easily removed, even after years

WindowBlock ASLAN DFP 25



Universal digital printing films for long-term applications





A very strong adhesive makes these polymeric digital printing films the ideal solution for long-term applications. The films provide a high level of adhesion, making them perfect for applications that require permanent adhesive or for challenging surfaces such as non-polar surfaces, as can be found on plastic dustbins.

A double-sided, PE-coated silicone liner makes them highly resistant to moisture and heat and guarantees perfect printing results.

Product advantages

- Polymeric digital printing film with outdoor durability of 7 years
- For application temperatures from 5 °C (except UltraTack Plus ASLAN DFP 05)
- Special adhesive with very high adhesive strength
- Especially suitable for challenging, uneven and/or non-polar surfaces
- Ideal for application onto rough indoor walls



Extra strong adhesive	Durability	Features	Self-adhesive film
NEW White, glossy	7 years	Polymeric	UltraTack Plus ASLAN DFP 05
Transparent, glossy	7 years	Polymeric	UltraTack transparent ASLAN DFP 06
White, glossy	7 years	Polymeric	UltraTack ASLAN DFP 07 
White, matt	7 years	Polymeric	UltraTack matt ASLAN DFP 08 
White, glossy	7 years	Polymeric, with grey adhesive	UltraTack grey ASLAN DFP 07G 
White, matt	7 years	Polymeric, with grey adhesive	UltraTack matt grey ASLAN DFP 08G 

Highly translucent digital printing film for illuminated signs

With its silk-matt surface and an especially high translucency, this white digitally printable, self-adhesive film is ideal for backlit applications.

A structure of extremely fine air release channels permit dry application of the film. Air bubbles can be wiped out with ease, making application fast, clean and efficient.

Highly translucent

White, polymeric, with air release channels for easy dry application

Lightbox Dryapply ASLAN DFL 20



Floor Graphics laminates

Floor graphics laminates for outdoor and indoor applications

Matt, for protecting floor graphics, R13 classified to DIN 51130, slip resistance on wet barefoot walkways according to DIN 51097 (class B), insurance-certified, 140 µm, transparent

Premium FloorProtect ASLAN MP 300



Matt, for protecting floor graphics, R9 slip-resistance according to ASTM D and DIN 51130, insurance-certified, 125 µm, transparent

FloorProtect ASLAN MP 326



Protective film + print Digital printing film = Euroclass

Even when printed and laminated, the floor films are fire-rated according to DIN EN 13501-1.

Suitable floor graphics digital printing films on page 28



Laminates

Anti-graffiti laminate

Clear, highly glossy polyester film, highly scratch-resistant, graffiti can be easily removed from the surface

AntiGraffiti ASLAN SL 95



Polymeric softened protective film for long-term outdoor use

Transparent, glossy, polymeric softened protective film for long-term protection of prints, indoors and outdoors

PremiumProtect ASLAN SL 17

Transparent, matt PVC-film, polymeric softened protective film for long-term protection of prints, indoors and outdoors

PremiumProtect Matt ASLAN SL 18

NEW Transparent, glossy, polymeric softened protective film, very resistant, for long-term protection of prints, indoors and outdoors

UltraProtect Plus ASLAN SL 05

Monomeric softened special-protective film for UV curing inks

The self-adhesive lamination film with a special adhesive is designed to protect prints made with UV curing inks. Of course the laminate can be used to protect prints made with solvent, eco-solvent and latex inks too. The laminate is protecting your prints from UV radiation, weather, vandalism and mechanical wear.

Transparent, glossy PVC-film, monomeric softened, for protection of UV-printings indoors and outdoors

UV-PrintProtect ASLAN SL 27

Transparent, matt PVC-film, monomeric softened, for protection of UV-printings indoors and outdoors

UV-PrintProtect Matt ASLAN SL 28

PVC free films

The use of PVC free self-adhesive materials is becoming more important to customers these days.

Plasticizer-free materials are required for indoor applications as well as public spaces.

Many large companies already prescribe their use for reasons of sustainability and to ensure a physiologically harmless environment. In addition, PVC free alternatives such as polypropylene avoid the formation of hydrogen chloride and hydrochloric acid during disposal and are therefore more environmentally friendly and easy to recycle within the material cycle.

Within our extensive range, we already offer a variety of PVC free options, which will be further expanded in the future. So you can choose today and in the future whether PVC or PVC free products are being used.



In addition to the aspect of sustainability, the PVC free materials also offer the added value of dimensional stability – a shrinkage similar to PVC does not occur here.

PVC free memoboard films

Blackboard film

Finest air release channels allow a quick, easy and bubble-free dry application



Black, for chalk and liquid chalk

UV curing inks

Blackboard PP Dryapply ASLAN BBL 920

Whiteboard film

Finest air release channels allow a quick, easy and bubble-free dry application



White, glossy

Whiteboard PP Dryapply ASLAN WBL 998

Ferrous film

with high-quality whiteboard- or blackboard-surface

Flexible ferrous film with whiteboard finish

White, glossy, magnetically-receptive

FerroSoft Whiteboard ASLAN FF 550

NEW Flexible ferrous film with blackboard finish

Black, matt, magnetically-receptive

FerroSoft Blackboard ASLAN FF 540



PVC free glass decoration film

Glass decoration film for large areas as well as plotted applications



Dusted effect

EcoEtched EasyRemove ASLAN ER 151

PVC free cutting films

Opaque coloured films

Black and white, glossy

Universal opaque colour films

EcoPlot ASLAN PP 112

PVC free soft touch protection film

For refining of prints and surfaces

Transparent, matt

Protection film with SoftTouch-surface

EcoSoftTouch ASLAN SL 109



Stencil films

For over 30 years, ASLAN has been offering self-adhesive stencil films for painting and lacquering applications, standing out as the recognised specialist in this field.

Whether on smooth surfaces, textiles or rough walls: ASLAN has the right stencil film for you, supporting you in achieving best results in specifically your painting or lacquering application.

As a specialist and market leader in self-adhesive stencil films, ASLAN offers a comprehensive portfolio covering wide-ranging applications.



Stencil films for painting and lacquering

For painting and lacquering

For tarpaulins, signs and vehicles

PremiumMask ASLAN 85 K

With high adhesion

PremiumMask HighTack ASLAN 85 G

For smooth surfaces

PaintMask ASLAN S 79

For facades and rough walls

WallMask ASLAN S 41

PremiumMask ASLAN 85 K

The highly flexible self-adhesive stencil film for painting and lacquering works

This self-adhesive stencil film is especially flexible and suitable for all lacquering and painting applications on plain and curved surfaces. It can be removed without leaving any residues.

- The world's most popular universal, highly flexible stencil film
- Tear-proof and easily removable
- For overlapping and multiple lacquering with touch-dry colours
- Ensures sharp contours, preventing paint from running underneath the film
- Suitable for high-temperature lacquering on vehicles



WallMask ASLAN S 41 – The stencil film for rough walls and facades

This highly flexible stencil film allows easy, sharply contoured lettering on rough walls and facades, turning them into permanent advertising or decorated spaces.

Product advantages

- Highly flexible PVC-film, fits into joints and recesses
- Adheres perfectly to all rough indoor and outdoor walls
- Ensures sharp contours, thus no paint can run underneath the film
- Removable without leaving residues
- Tear-resistant
- Suitable for multiple paint applications
- Allows quick, cost-efficient facade lettering

1 Apply mask



2 Paint



3 Remove mask



Stencil films for sandblasting works

These self-adhesive stencil films, coordinated perfectly with various stone and glass surfaces, allow sharply contoured, relief-type structures, texts and logos or matt surface finishes. The range includes sandblasting films for a wide variety of sandblasting depths and surfaces.

The sandblasting films are highly robust and pressure-resistant and will not be damaged by the sandblasting process. Thanks to a special adhesive technology, they can be easily removed from glass, marble, granite and metals without leaving any residues.

For very heavy duty works

- 600 µm, PVC-film, transparent
- Colour: creme



Sandblast 600 ASLAN S 62

For heavy duty works

- 330 µm, PVC-film, opaque
- Colour: grey



Sandblast 330 ASLAN S 64

For light and medium duty works

- 230 µm, PVC-film, opaque
- Colour: white



Sandblast 230 ASLAN S 66

For light and medium duty works

- 180 µm, PVC-film, transparent
- Higher resistance thanks to double-layer quality
- Colour: grey



Sandblast 180 ASLAN S 68

For light duty works on glass

- 80 µm, PVC-film, transparent
- Colour: grey-green



Sandblast 80 ASLAN S 69



Illuminated signs



Diffuser film for ideal light diffusion in light boxes

In thin light boxes, the light source can be very close to the front panel. This means that the light source is visible, making the illuminated surface look uneven.

The Diffuser ASLAN D 160 film avoids this by spreading the light ideally and providing consistent illumination.

Diffuser ASLAN D 160



Opaque blackout films for light boxes

This opaque PVC-film in double-layer quality is especially designed for blocking out areas in illuminated advertising.

Fully opaque, white film with black reverse side

Blackout ASLAN W 15

Fully opaque, black film with white reverse side

Blackout ASLAN W 16



Double sided

self-adhesive films

ASLAN's double-sided self-adhesive films can be used to turn maps, prints, posters and other non-adhesive materials into high quality self-adhesive products quickly and easily. Lined with a pH-neutral adhesive, they are suitable for a wide range of surfaces and can be applied without spray adhesives.

For easy manual application, they are equipped with release liners on both sides.



Double-sided self-adhesive film with good flatness, permanent | permanent

Ideal for creating self-adhesive sheets. Highly stable, with both sides adhering permanently and reduced initial adhesion.

Premium MountFilm ASLAN DK 1

Double-sided self-adhesive film, permanent | permanent

For both smooth and rough surfaces. Both sides are lined with permanent adhesive: reduced initial adhesion on one side, extra strong adhesion on the other side.

MountFilm HighTack ASLAN DK 3

Double-sided adhesive film, permanent | semi-permanent/Dryapply

This film with pH-neutral adhesive on both sides is perfect for quickly and easily transforming prints.

On one side, it has fine air release channels and a semi-permanent adhesive with extremely low initial tack. This makes bubble-free application and film adjustment particularly easy, while being kind to delicate materials such as paper. If applied to only part of a surface, this side can even be repositioned. The other side has permanent adhesive with low initial tack.

MountFilm Dryapply ASLAN DK 2



Double-sided self-adhesive film, permanent | removable

Ideal for all smooth surfaces. Removable adhesive on one side, permanent adhesive with reduced initial adhesion on the other side.

MountFilm Remove ASLAN DK 4

Double-sided self-adhesive films

Transparent PVC-films, liner on both sides, for self-adhesive finishing of printed products

Double-sided permanent adhesion, with low initial tack ideal for pre-cut sheets

Premium MountFilm ASLAN DK 1

Semi-permanent with dryapply on one side, permanent adhesive on the other side, ideal for paper and high-quality materials

MountFilm Dryapply ASLAN DK 2



Permanent with low initial tack on one side, permanent adhesive on the other side

MountFilm HighTack ASLAN DK 3

Permanent with low initial tack, removable on the other side

MountFilm Remove ASLAN DK 4


Mounting film and tapes



Mounting film & application tapes

For simple and precise transfer of lettering and prints

Mounting film	With backing, ideal for storing and shipping letterings, for multiple usage	ASLAN TMO
	Low adhesion, for transferring stencil films	LowTackTape ASLAN TP 110
Paper tapes	Medium adhesion, for universal applications	UniversalTape ASLAN TP 122
	Strong adhesion, for universal applications	HighTackTape ASLAN TP 136
Filmic tapes	Universal tape	FilmicTape ASLAN TF 100
	Embossed tape, especially easy to laminate	Embossed FilmicTape ASLAN TF 105





TOPS



Accessories for a professional and fast application of ASLAN films

Squeegees

Wooden board squeegees, with felt edge	Small, 15 cm	WoodSqueegee ASLAN FB 1
	Large, 26 cm	WoodSqueegee ASLAN FB 2
Felt squeegee	White, synthetic felt, 20 cm	FeltSqueegee ASLAN FR 20
Plastic squeegees	White, 10 cm	WhiteSqueegee ASLAN KR 1
	Gold, very flexible, 10 cm	GoldSqueegee ASLAN KR 2
	White, with felt edge, 10 cm	WhiteSqueegee Felt ASLAN KRF 1
	Gold, very flexible, with felt edge, 10 cm	GoldSqueegee Felt ASLAN KRF 2

Cutting tools

Universal cutting tool	Universal cutting knife, stable metal design	ASLAN Cutter
Stable cutting tool	Tool for cutting off film, very stable, with edge protection	ASLAN EasyKnife

Accessories

Surface cleaner	For treatment of surfaces before applying films	CleaningLiquid ASLAN AKR
Transfer liquid	Concentrate 0.5 l, including a spraying bottle	TransferLiquid ASLAN TL 10
Liquid chalk pen	Ideal for use with PremiumBlackboard ASLAN BB 910, FerroSoft Blackboard ASLAN FF 540, Blackboard PP Dryapply ASLAN BBL 920 and ClearChalk ASLAN CR 63	ASLAN C-pen
Rubber roll	For applications of ASLAN films on rough surfaces	ASLAN ApplicationRoll

ASLAN


Social Media


Want to find out about the latest innovations we have developed for you, whether or not the folks in our region of Germany actually go to work in fancy dress during the carnival season, and at what trade shows you can meet us face to face?


Find answers to all these questions as well as application tips, photos, videos and more on Facebook, YouTube and LinkedIn. Follow us!




 www.facebook.com/aslan.schwarz/



 www.youtube.com/user/aslanschwarz



 www.linkedin.com/company/aslan-schwarz-gmbh-&-co-kg



At one glance



All films at one glance

Outdoor durability in years	
	Colour

Memoboard films

Memoboard films

PremiumBlackboard ASLAN BB 910	Blackboard film for liquid chalk and chalk	5	Black
Blackboard PP Dryapply ASLAN BBL 920	PVC free blackboard film for liquid chalk and chalk		Black
Blackboard ASLAN C 61	Blackboard film for chalk	2	Black
Blackboard AntiScratch ASLAN CR 62	Blackboard film especially scratch-resistant, for chalk	2	Black
ClearChalk ASLAN CR 63	Blackboard film transparent, for chalk and ASLAN C-pen	2	Transparent
FerroSoft ASLAN FF 410	Very flexible, magnetically-receptive ferrous film		Anthracite
FerroSoft Print ASLAN FF 480	Flexible, printable, magnetically-receptive ferrous film		White
FerroSoft Whiteboard ASLAN FF 550	Flexible, printable, magnetically-receptive ferrous film with glossy whiteboard finish		White
FerroSoft Whiteboard matt ASLAN FF 490	Flexible, magnetically-receptive ferrous film with matt whiteboard finish		White
FerroSoft Blackboard ASLAN FF 540	Flexible, magnetically-receptive ferrous film with blackboard finish		Black
Whiteboard ASLAN WB 995	Scratch-resistant whiteboard film	5	White
Whiteboard Dryapply ASLAN WBL 995	Scratch-resistant whiteboard film, for easy dry application	5	White
WhiteboardMatt ASLAN WB 975	Scratch-resistant, low-reflection whiteboard film, suitable for projection	5	White
Whiteboard PP Dryapply ASLAN WBL 998	PVC free, scratch-resistant whiteboard film, for easy dry application		White
WhiteboardColour ASLAN WBC 996	Scratch-resistant, coloured whiteboard films	5	6 colours
Clearboard ASLAN CB 90	Scratch-resistant whiteboard film	5	Transparent
ClearboardMatt ASLAN CB 75	Scratch-resistant, low-reflection whiteboard film	5	Transparent
EtchedBoard Dryapply ASLAN EBL 300	Glass decoration film with whiteboard finish		Translucent
RearProjection ASLAN RP 35	Rear projection film for transparent surfaces		White, translucent
RearProjection transparent ASLAN RP 36	Rear projection film for transparent surfaces		Transparent
MagneTack ASLAN MT 400	Self-adhesive magnetic film		White

ASLAN Dryapply technology

Glass decoration films

Etched Dryapply ASLAN EL 300	Translucent film with etched glass look	7	Translucent
PrintEtched Dryapply ASLAN DFL 300	Printable, translucent film with etched glass look	7	Translucent
SilverEtched Dryapply ASLAN EL 302	Translucent film with silvery etched glass look	7	Translucent
PrintSilverEtched Dryapply ASLAN DFL 302	Printable, translucent film with silvery etched glass look	7	Translucent
Dusted Dryapply ASLAN EL 200	Translucent film with dusted glass look	7	Translucent
Milky Dryapply ASLAN EL 210	Translucent film with milk glass look	7	Translucent
PrintMilky Dryapply ASLAN DFL 210	Printable, translucent film with milk glass look	7	Translucent

For universal applications

Etched ASLAN E 300	Translucent film with etched glass look	7	Translucent
SilverEtched ASLAN E 302	Translucent film with silvery etched glass look	7	Translucent
Dusted ASLAN E 200	Translucent film with dusted glass look	7	Translucent
Milky ASLAN E 210	Translucent film with milk glass look	7	Translucent

With decorative designs

Illustra Linen ASLAN IL 350	Transparent PVC-film „Linen“-Design	7	Transparent
Illustra Snow ASLAN IL 351	Transparent PVC-film „Snow“-Design	7	Transparent
Illustra Dot ASLAN IL 352	Transparent PVC-film „Dot“-Design	7	Transparent

Coloured films

PremiumColour ASLAN C 118 Soft	Opaque premium colour films, for long-term use	7	34 colours
EcoColour ASLAN C 114	Universal opaque colour films	3-5	46 colours
FluoColour ASLAN CL 70	Fluorescent films	9 12 months	Red Yellow
GlassColour ASLAN CT 113	Transparent colour films	3-5	25 colours

	Matt	Glossy	Thickness in µm	Film	Permanent	Semi-Permanent	Removable	Dryapply	Indoor/outdoor application	Width in m	Standard length in m	Additional lengths	Fire rating B 1	Fire rating EN 13501-1	Catalogue page
			Film	Adhesive				Dimensions				Fire rating			
	●		130	PVC-film with special coating		●			I/O	1.25	25		●		7
	●		130	PP with special coating		●		●	I/O	1.25	25				7
	●		160	PVC-film		●			I/O	1.25	25				7
	●		130	Embossed PVC-film		●			I/O	1.37	25				7
	●		125	Embossed special-PVC-film		●			I/O	1.37	25				7
	●		410	Polyethylene-based ferrous film	●				I	1.01 1.37	12 9		●		8
	●		480	Polyethylene-based ferrous film with PVC-laminate	●				I	1.01	12				8
		●	550	Polyethylene-based ferrous film with PP-laminate	●				I	1.01 1.37	12 9				8
	●		490	Polyethylene-based ferrous film with PP-laminate	●				I	1.37	9				8
	●		540	Polyethylene-based ferrous film with PP-laminate	●				I	1.25	9				8
		●	150	PVC/PET	●				I/O	1.37	50		●		10
		●	150	PVC/PET		●		●	I/O	1.37	50				10
	●		80	PVC with special coating		●			I/O	1.37	50		●		10
		●	150	PP		●		●	I/O	1.37	50				10
		●	150	PVC/PET with special coating		●			I/O	1.22	24				10
		●	50	PET with special coating	●				I/O	1.37	50		●		10
	●		80	PVC with special coating		●			I/O	1.37	50		●		10
	●		80	PVC with special coating		●		●	I	1.37	25		●		10
		●	90	Special-PVC		●			I	1.35	25	12,5			11
		●	50	Special-PET		●			I	1.35	25	12,5			11
		●	400	Polyethylene based film with strontium- and barium ferrite powder	●				I						
	●		80	PVC, polymeric		●		●	I/O	1.26 1.52	50			●	14
	●		80	PVC, polymeric		●		●	I/O	1.37 1.52	50				14
	●		80	PVC, polymeric		●		●	I/O	1.26 1.52	50			●	14
	●		80	PVC, polymeric		●		●	I/O	1.37 1.52	50				14
	●		80	PVC, polymeric		●		●	I/O	1.26	50			●	14
	●		80	PVC, polymeric		●		●	I/O	1.26 1.52	50			●	14
	●		80	PVC, polymeric		●		●	I/O	1.37	50				14
	●		80	PVC, polymeric		●			I/O	1.26	50				15
	●		80	PVC, polymeric		●			I/O	1.26	50				15
	●		80	PVC, polymeric		●			I/O	1.26	50				15
	●		80	PVC, polymeric		●			I/O	1.26	50				15
		●	80	PVC, polymeric		●		●	I/O	1.37	50			●	17
		●	80	PVC, polymeric		●		●	I/O	1.37	50			●	17
		●	80	PVC, polymeric		●		●	I/O	1.37	50			●	17
	●	●	70	PVC, polymeric		●			I/O	1.25	50				23
	●	●	70	PVC, monomeric		●*			I/O	1.22	50				24
		●	100	PVC with special coating		●			I/O	1.25	25				25
		●	80	PVC, monomeric		●			I/O	1.25	25				25

All films at one glance

Outdoor durability
in years

Colour

Metal effect films

Metal effect

MetalPrint ASLAN CA 30	Printable metal effect films	5	6 effects
MetalLux Print ASLAN SEP 50	Printable, scratch-resistant, matt special effect film	2	Champagne Platinum
MetalEffect Dryapply ASLAN CAL 23	Metal effect films for easy dry application	3-5	Silver Gold polished
MetalEffect ASLAN CA 23	Metal effect films	2 / 3-5*	8 effects
MetalColor ASLAN CA 24	Coloured metal effect films	2	5 effects
MetalShadow ASLAN CA 25	Metal effect films in 4 sleek silver tones	2	4 effects
MirrorEffect AntiScratch ASLAN SE 75	Highly reflective, scratch-resistant mirror effect film	3-5	Silver Gold
MirrorEffect SimplyApply ASLAN SE 76	Highly reflective, scratch-resistant mirror effect film for easy dry application		Silver
MetalLux ASLAN SE 50	Scratch-resistant, matt special effect film	2	Champagne Platinum

PVC free films

PVC free

Blackboard PP Dryapply ASLAN BBL 920	Blackboard film for chalk and liquid chalk		Black
Whiteboard PP Dryapply ASLAN WBL 998	Scratch-resistant whiteboard film, for easy dry application		White
FerroSoft Blackboard ASLAN FF 540	Flexible, magnetically-receptive ferrous film with blackboard finish		Black
FerroSoft Whiteboard ASLAN FF 550	Flexible, magnetically-receptive ferrous film with whiteboard finish		White
EcoSoftTouch ASLAN SL 109	Protective PP-laminate with a precious haptic		Transparent
EcoEtched EasyRemove ASLAN ER 151	Translucent, PVC free film with dusted glass look		Translucent
EcoPlot ASLAN PP 112	Universal opaque colour film	3-5	Black White

For painting and lacquering works

Stencil films

PremiumMask ASLAN 85 K	Stencil film for smooth surfaces		Grey, translucent
PremiumMask HighTack ASLAN 85 G	Stencil film for smooth surfaces, with strong adhesion		Grey, translucent
PaintMask ASLAN S 79	Stencil film for truck curtains and other smooth surfaces		Grey green, translucent
WallMask ASLAN S 41	Stencil film for rough walls and facades		Grey, translucent
For sandblasting works			
Sandblast 600 ASLAN S 62	Sandblasting film for heavy-duty sandblasting on stone		Creme, translucent
Sandblast 330 ASLAN S 64	Sandblasting film for heavy sandblasting on stone		Grey, opaque
Sandblast 230 ASLAN S 66	Sandblasting film for medium-duty sandblasting		White, opaque
Sandblast 180 ASLAN S 68	Sandblasting film for medium-duty sandblasting		Grey, transparent
Sandblast 80 ASLAN S 69	Sandblasting film for light sandblasting on glass		Grey green, transparent

Illuminated signs

Blockout ASLAN W 15	Blockout film – black adhesive side	7	White
Blockout ASLAN W 16	Blockout film – white adhesive side	7	Black
Diffuser ASLAN D 160	Diffusion film for optimal light distribution	7	White, translucent
GlassColour ASLAN CT 113	Transparent coloured films	3-5	25 colours

Double-sided self-adhesive films

Premium MountFilm ASLAN DK 1	Double-sided permanent with low initial tack		Transparent
MountFilm Dryapply ASLAN DK 2	Permant, with low initial tack Semi-permanent for easy dry application		Transparent
MountFilm HighTack ASLAN DK 3	Permant with low initial tack Permanent		Transparent
MountFilm Remove ASLAN DK 4	Permant with low initial tack Removable		Transparent

	Matt	Glossy	Thickness in µm	Film	Permanent	Semi-Permanent	Removable	Dryapply	Indoor/outdoor application	Width in m	Standard length in m	Additional lengths	Fire rating B 1	Fire rating EN 13501-1	Catalogue page
	Film		Adhesive						Dimensions			Fire rating			
	●	●	140	PET/PVC	●				I/O	1.25	25				19
	●		140	PET/PVC					I/O	1.25	25				19
		●	50	PET		●		●	I/O	1.25	25				20
	●	●	50	PET		●			I/O	1.25	25				20
		●	140	PET/PVC		●			I/O	1.22	24				20
		●	140	PET/PVC		●			I/O	1.22	24				20
		●	75	PET		●			I/O	1.25	25			●	20
		●	75	PET			●			1.25	25				20
	●		50	PET		●			I/O	1.25	25				20
	●		130	PP with special coating		●		●	I/O	1.25	25				34
		●	150	PP		●		●	I/O	1.37	50				34
	●		540	Polyethylene-based ferrous film with PP-laminate	●				I	1.25	9				34
		●	550	Polyethylene-based ferrous film with PP-laminate	●				I	1.01 1.37	12 9				34
	●		50	PP	●				I	1.37	50				35
	●		170	PP			●		I	1.37	50				35
	●	●	70	PP		●*			I/O	1.25	50				35
			80	PVC			●			1.25	50				37
			80	PVC			●			1.25	50				37
			80	PVC			●			1.25	50				37
			80	PVC			●			1.25	50	25			38
			600	PVC			●			1.25	10				39
			330	PVC			●			1.25	25				39
			230	PVC			●			1.25	25				39
			180	PVC			●			1.25	25				39
			80	PVC			●			1.25	50				39
		●	130	PVC, polymeric			●		I/O	1.25	25				40
		●	130	PVC, polymeric			●		I/O	1.25	25				40
	●		85	PVC, polymeric		●			I/O	1.35	50	25			40
		●	80	PVC, monomeric		●			I/O	1.25	25				25
			70	PVC, monomeric	●*				I	1.35	25				41
			70	PVC, monomeric	●*			●*	I	1.35	50	25			41
			70	PVC, monomeric	●*				I	1.35	50	25			41
			70	PVC, monomeric	●*		●*		I	1.35	50	25			41

All films at one glance

Outdoor durability in years	
Colour	

Protective laminates

Premium FloorProtect ASLAN MP 300	Slip-resistance certification DIN 51130 and ASTM D	Up to 6 months, depending on mechanical load	Transparent
FloorProtect ASLAN MP 326	Slip-resistance certification DIN 51130 and ASTM D	Up to 6 months, depending on mechanical load	Transparent
AntiGraffiti ASLAN SL 95	Protective laminate with anti-graffiti protective coating, especially scratch-resistant	5	Transparent
PremiumProtect ASLAN SL 17	Protective laminate for long-term outdoor use	7	Transparent
PremiumProtect Matt ASLAN SL 18	Protective laminate for long-term outdoor use	7	Transparent
UltraProtect Plus ASLAN SL 05	Protective laminate, very tough	5	Transparent
UV-PrintProtect ASLAN SL 27	Protective laminate, especially for UV-prints	3	Transparent
UV-PrintProtect Matt ASLAN SL 28	Protective laminate, especially for UV-prints	3	Transparent
EcoSoftTouch ASLAN SL 109	Protective PP-laminate with a precious haptic		Transparent

Mounting film and application tapes

ASLAN TMO	PVC-mounting film with release liner, reusable		Transparent
LowTackTape ASLAN TP 110	Paper tape, low adhesion		White
UniversalTape ASLAN TP 122	Paper tape, medium adhesion		White
HighTackTape ASLAN TP 136	Paper tape, high adhesion		White
FilmicTape ASLAN TF 100	Filmic tape		Transparent

Digital printing films at one glance

Outdoor durability in years*	White, glossy	White, matt	Transparent, glossy	Transparent, matt	
Colour					

Rough walls

UltraTack transparent ASLAN DFP 06	Extra strong adhesion even on non-polar surfaces, for long-term application	7	●		●		
UltraTack ASLAN DFP 07	Extra strong adhesion even on non-polar surfaces, for long-term application	7	●				
UltraTack matt ASLAN DFP 08	Extra strong adhesion even on non-polar surfaces, for long-term application	7		●			
UltraTack grey ASLAN DFP 07G	Extra strong adhesion even on non-polar surfaces, for long-term application with grey adhesive	7	●				
UltraTack matt grey ASLAN DFP 08G	Extra strong adhesion even on non-polar surfaces, for long-term application with grey adhesive	7		●			
WrapTheHouse ASLAN DFP 45	For rough facades, removable up to 6 months	3*	●				
WrapTheHouse matt ASLAN DFP 55	For rough facades, removable up to 6 months	3*		●			
WrapTheHouse transparent ASLAN DFP 65	For rough facades, removable up to 6 months	3*				●	

Smooth walls

WrapTheFloor ASLAN DFP 47	For tiles and polished natural stone, residue-free removal	*	●				
LifeTime Removable ASLAN DFP 40	For indoor applications, residue-free removal up to 12 months		●				
LifeTime Removable ASLAN DFP 41	For indoor applications, residue-free removal up to 12 months				●		
LifeTime Removable ASLAN DFP 42	For indoor applications, residue-free removal up to 12 months			●			

* For more information, please read the technical data sheet ** Laminated with digital printing films ASLAN DFP 46, ASLAN DFP 47 and ASLAN DFP 49

Wall & facade

Matt	Glossy	Thickness in µm	Film	Permanent	Semi-Permanent	Removable	Dryapply	Slip-resistance certification	Indoor/outdoor application	Width in m	Standard length in m	Additional lengths	Fire rating B 1	Fire rating EN 13501 - 1	Catalogue page
		Film	Adhesive						Dimensions			Fire rating			

●		140	PVC	●				R13	I/O	1.37	25		●**		33
●		125	PVC	●				R9	I/O	1.35	50		●**		33
	●	50	PET with special coating	●					I/O	1.37	50	25	●		33
	●	75	PVC, polymeric	●					I/O	1.37	50				33
●		75	PVC, polymeric	●					I/O	1.37	50				33
	●	150	PVC, polymeric	●					I/O	1.37	50				35
	●	75	PVC, monomeric	●					I/O	1.35	50				33
●		75	PVC, monomeric	●					I/O	1.35	50				33
●		50	PP	●					I	1.37	50				33

		70	PVC			●				1.35	50	25			42
		115	Special paper			●				1.22	100				42
		115	Special paper			●				1.22	100				42
		115	Special paper			●				1.22	100				42
		110	LDPE			●				1.22 1.00	100				42

Unsere Digitaldruckfolien finden Sie ab Seite 26

Thickness in µm	Film	Dimensions in m	Permanent	Semi-Permanent	Removable	Dryapply	Indoor/outdoor application	Solvent, Eco-Solvent, UV curing inks and screen printing	Latex inks	FloorProtect ASLAN MP 326	Premium FloorProtect ASLAN MP 300	Fire rating B 1	Fire rating EN 13501 - 1	Catalogue page
			Adhesive					Printability		Laminating films		Fire rating		

80	PVC, polymeric	50 x 1.37	high tack				I/O	●	●					32
75	PVC, polymeric	50 x 1.37	high tack				I/O	●	●			●		32
75	PVC, polymeric	50 x 1.37	high tack				I/O	●	●			●		32
75	PVC, polymeric	50 x 1.37	high tack				I/O	●	●			●		32
75	PVC, polymeric	50 x 1.37	high tack				I/O	●	●			●		32
80	PVC	25 x 1.37	●*		●*		I/O	●	●					27
80	PVC	25 x 1.37	●*		●*		I/O	●	●					27
80	PVC	25 x 1.37	●*		●*		I/O	●	●					27
150	PET/PVC	25 x 1.37			●		I/O	●	●	●	●		●	27
80	PVC, monomeric	50 x 1.37			●*		I	●	●					27
80	PVC, monomeric	50 x 1.37			●*		I	●	●					27
80	PVC, monomeric	50 x 1.37			●*		I	●	●					27

Digital printing films at one glance

Outdoor durability in years*	White, glossy	White, matt	Transparent, glossy	Transparent, matt	Thickness in µm
	Colour				

Smooth walls							
Wall & facade	UltraTack transparent ASLAN DFP 06 Extra strong adhesion even on non-polar surfaces, for long-term application	7	●		●		80
	UltraTack ASLAN DFP 07 Extra strong adhesion even on non-polar surfaces, for long-term application	7	●				75
	UltraTack matt ASLAN DFP 08 Extra strong adhesion even on non-polar surfaces, for long-term application	7		●			75
	UltraTack grey ASLAN DFP 07G Extra strong adhesion even on non-polar surfaces, for long-term application with grey adhesive	7	●				75
	UltraTack matt grey ASLAN DFP 08G Extra strong adhesion even on non-polar surfaces, for long-term application with grey adhesive	7		●			75
Rough floors							
Floor Graphics	WrapTheStreet ASLAN DFP 46 Ideal for asphalt and pavements	**	●				80
	Print'nGo Street ASLAN DFP 36 Printing, apply, ready! R9-classified	2-3		●			125
Smooth floors							
Floor Graphics	Print'nGo ASLAN DFP 33 Printing, apply, ready! R9-classified			●			125
	Print'nGo ASLAN DFP 43 Printing, apply, ready! R13-classified			●			140
	Print'nGo ASLAN DFP 44 Printing, apply, ready! R13-classified					●	140
	WrapTheFloor ASLAN DFP 47 Ideal for tiles and polished natural stone	**	●				150
Carpet							
	WrapTheCarpet ASLAN DFP 49 For short pile carpets	**	●				150
Glass and transparent, smooth surfaces							
	WindowClear ASLAN DFP 18 Printable film for transparent surfaces	7			●		80
	WindowBlock ASLAN DFP 25 Double sided blackout film	3	●				180
	LifeTime Removable ASLAN DFP 40 For indoor applications, residue-free removal up to 12 months		●				80
	LifeTime Removable ASLAN DFP 41 For indoor applications, residue-free removal up to 12 months				●		80
	LifeTime Removable ASLAN DFP 42 For indoor applications, residue-free removal up to 12 months			●			80
	PrintEtched Dryapply ASLAN DFL 300 Printable, translucent film with etched glass look	7	Translucent				80
	PrintSilverEtched Dryapply ASLAN DFL 302 Printable, translucent film with silvery etched glass look	7	Translucent				80
	PrintMilky Dryapply ASLAN DFL 210 Printable, translucent film with milk glass look	7	Translucent				80
	LightboxPrint Dryapply ASLAN DFL 20 Highly translucent, for an easy dry application	7		●			90
	Illustra Linen ASLAN IL 350 Transparent PVC-film „Linen“-Design	7			●		80
	Illustra Snow ASLAN IL 351 Transparent PVC-film „Snow“-Design	7			●		80
	Illustra Dot ASLAN IL 352 Transparent PVC-film „Dot“-Design	7			●		80
	PrintMetal ASLAN CA 30 Printable metal effect film	5	6 metal effects				140
	MetalLux Print ASLAN SEP 50 Printable, scratch resistant, matt special effect film	2	Champagne Platinum				140
	FerroSoft Print ASLAN FF 480 Flexible, printable, magnetically-receptive ferrous film			●			480
Universal applications on smooth surfaces							
	LifeTime Removable ASLAN DFP 40 For indoor applications, residue-free removal up to 12 months		●				80
	LifeTime Removable ASLAN DFP 41 For indoor applications, residue-free removal up to 12 months				●		80
	LifeTime Removable ASLAN DFP 42 For indoor applications, residue-free removal up to 12 months			●			80
	PrintMetal ASLAN CA 30 Printable metal effect film	5	7 metal effects				140
	UltraTack Plus ASLAN DFP 05 Extra strong adhesion even on non-polar surfaces, for long-term application	2-3	●				80

* For more information, please read the technical data sheet **Protective films page 50

Film	Dimensions in m	Permanent	Semi-Permanent	Removable	Dryapply	Indoor/outdoor application	Solvent, Eco-Solvent, UV curing inks and screen printing	Latex inks	FloorProtect ASLAN MP 326	Premium FloorProtect ASLAN MP 300	Fire rating B 1	Fire rating EN 13501-1	Fire rating DIN EN-13501-1, printed and laminated with ASLAN MP 300 or ASLAN MP 326	Catalogue page
		Adhesive				Printability	Laminating films	Fire rating						
PVC, polymeric	50 x 1.37	high tack				I/O	●	●						32
PVC, polymeric	50 x 1.37	high tack				I/O	●	●			●			32
PVC, polymeric	50 x 1.37	high tack				I/O	●	●			●			32
PVC, polymeric	50 x 1.37	high tack				I/O	●	●			●			32
PVC, polymeric	50 x 1.37	high tack				I/O	●	●			●			32
PVC	25 x 1.37			●*		I/O*	●	●	●	●			●	28
PVC	25 x 1.37			●*		I/O	●	●						28
PVC	25 x 1.37		●			I	●	●			●			28
PVC, polymeric	25 x 1.37		●			I	●	●						28
PVC, polymeric	25 x 1.37		●			I	●	●						28
PET/PVC	25 x 1.37			●		I/O	●	●	●	●			●	28
PET/PVC	25 x 1.37			●		I	●	●	●	●			●	28
PVC, polymeric	50 x 1.37		●			I/O	●	●						30
PVC	25 x 1.37			●		I/O	●	●			●			31
PVC, monomeric	50 x 1.37			●*		I	●	●						27
PVC, monomeric	50 x 1.37			●*		I	●	●						27
PVC, monomeric	50 x 1.37			●*		I	●	●						27
PVC, polymeric	50 x 1.37		●		●	I/O	●	●						30
PVC, polymeric	50 x 1.37		●		●	I/O	●	●						30
PVC, polymeric	50 x 1.37		●		●	I/O	●	●						30
PVC, polymeric	50 x 1.37 1.52		●		●	I/O	●	●						33
PVC, polymeric	50 x 1.37		●		●	I/O	●	●						17
PVC, polymeric	50 x 1.37		●		●	I/O	●	●						17
PVC, polymeric	50 x 1.37		●		●	I/O	●	●						16
PET/PVC	25 x 1.25		●			I/O	●	●						19
PET/PVC	25 x 1.25					I/O	●	●						19
PE/PVC	12 x 1.01	●				I	●	●						8
PVC, monomeric	50 x 1.37			●*		I	●	●						27
PVC, monomeric	50 x 1.37			●*		I	●	●						27
PVC, monomeric	50 x 1.37			●*		I	●	●						27
PET/PVC	25 x 1.25	●				I/O	●	●						19
PVC, monomeric	50 x 1.37	●				I/O	●	●						32





For more information please visit

www.ASLAN-Schwarz.com



Please contact us

phone +49 2204 708 80

fax +49 2204 708 50

e-mail info@ASLAN-Schwarz.com